# Navajo Abandoned Uranium Mine

## Site Screen Report

This form is for use at the site of abandoned uranium mines (AUM) located on Navajo Nation lands. Applicable sites include all mine and mine features that have or have not undergone reclamation by the Navajo Abandoned Mine Lands Reclamation Program, including features, adits, pits and waste piles. Applicable sites also include all AUM sites listed in the USEPA CERCLIS database, all sites listed in the 2008 AUM GIS Report issued by USACOE and USEPA, all AUM sites on allotment lands associated with the Navajo Nation, and any and all AUM sites not listed in any database located on Navajo lands. Reconnaissance of any sites located on lands adjacent to Navajo lands that may be impacting Navajo lands will need to be coordinated with the authorities appropriate to those lands.

The purpose of the form is to ascertain the status and location of the identified AUM site, and record all immediate site information associated with the mine site. Decisions and recommendations on what additional steps are needed will be provided on a separate document.

## H. B. Roy No. 1 AUM Site

Navajo AUM Northern Region

Prepared by:

Weston Solutions, Inc.

Contract: W91238-06-F-0083

12767.063.496.1111

March 2010

Part I	Site Identification, Location and Status					
Site Names and ID numbers as applicable						
Mine ID:	433					
Map ID:	N265					
CERCLIS:	NNN000908895					
Navajo Abandoned Mine Land Reclamation Program: None						
Local name / Aliases: Bear Creek Canyon Area						
Chapter and local area: Red Valley Chapter						
County: San	an Juan / Apache State: New Mexico / Arizona					
<b>Lat/Long:</b> 36.46622824 N / -109.045362577 W						
Nearby road	and highway: Indian Route 33 Local Post Office: Rock Creek, AZ					
Surface Land Status: check one or more and provide ownership and contact information below						
Tribal Trust : Private Bureau of La State	Tribal Fee Land					
Subsurface Mineral Rights:						
No information on subsurface mineral rights ownership was found in the EPA/AUM Database.						
Claim and operator information:						
The mine site surface land status is classified as Tribal Trust Land. No other historical ownership / lease information was identified in the EPA/AUM database.						
Number of residential structures within 200 feet of mine:						
None						
Estimated volume of mine waste onsite:						
$835 \text{ yd}^3$						

#### Part II Summary of radiological readings

#### **Highest gamma radiation measurement:**

157,543 counts per minute (cpm)

#### **Describe any other radiological measurements:**

A total of 3,618 gamma radiation measurements were collected from the mine site, ranging from 8,451 cpm to 157,543 cpm. Maximum reading was 62,000 cpm at north end of site, immediately north off-site over 100,000 cpm. The measurements are represented in Figures 1 and 2.


#### **Background Locations**

**Average background** = 11,462 cpm

#1 10,910 cpm #2 12,014 cpm

#### **Distribution Chart and Statistics:**

The following chart and statistics were generated by ESRI ArcGIS 9.3.1, and show the general distribution of the site gamma radiation measurements. The horizontal X axis represents the gamma radiation reading levels in cpm (lowest levels to the left). The vertical Y axis represents the frequency of each gamma radiation level.



 Count:
 3618

 Minimum:
 8451,00000

 Maximum:
 157543,00000

 Sum:
 92956344,00000

 Mean:
 25692,74295

 Median:
 14409,00000

 Standard Deviation:
 23265,13610

#### Part III Status of Reclamation and Mine Waste

The following information was obtained from the Navajo Abandoned Mine Land Reclamation Program (NAMLRP) Point Features Database:

NAMLRP Status of the mine site: Reclaimed: No Waste Pile onsite: Yes

**NAMLRP Project Number:** None

**NAMLRP Mine features:** 1 Rim Strip / Pit

The following information was obtained from field observations collected during the 2009 site screening:

Provide description and status of all mine sites and features at site. Include all waste piles, adits, pits and other features, and indicate whether they are open, closed, covered, capped, buried or unreclaimed. Indicate approximate size, shape and extent, including description of any reclamation caps. Note condition of all caps.

Observed	reclama	tion	work	and	ctatue
Observed	тестанта	uou	WUIK	anu	status.

#### **Adits**

None

#### **Waste Piles**

None

#### **Pits**

One possible pit area, north of the mine site boundary

#### **Shafts**

None

#### **Other Debris and Mine Features**

None

#### Part IV

#### **Site observations and Environs**

Observed Structures: list number of and describe human habitation status of structures at the following distances from mine:

**0 to 200 feet:** None

200 feet to 0.25 mile: None

Observed Public or commercial structure: list and describe all schools, clinics, Chapter Houses, places of business and any other structure used by members of the community at the following distances:

0 to 200 feet: None

200 feet to 0.25 mile: None

Levels measured around the perimeter(s) of the identified structure(s):

None

Observed water sources: list the number and type of wells and surface water sources that are potentially used for human consumption at the following distances from the mine:

0 to 0.25 miles: None

**0.25 miles to 4 miles:** None

Sensitive environments: note and describe all sensitive environments located within visible range of the mine site, including: wetlands, endangered species, habitats and approximate locations of sites that may be under protection of the government of the Navajo Nation.

None observed

Known Site History: include information from interviews with Chapter officials and residents. Note information on mine ownership, type of mining operation, period of operation, known amount of production, and any other information as provided.

H.B. Roy No. 1 mine consists of an area of 17,683.9 m<sup>2</sup>. The mine was not identified as ever being operational. No other historical information or any additional ownership / lease information was identified in the EPA/AUM database.

#### Part V Response Action Summary

**Site Name(s):** H.B. Roy No. 1 **Chapter:** Red Valley

#### **Decision Criteria**

Is there an unreclaimed waste pile at the site? None

At what distance from the waste pile is the nearest residential structure located? None

At what distances from the waste pile are there potential drinking water sources? None

Is there a reclamation cap or sealed adit in place at the site? None

Is the cap/seal functionally intact? None

Is the cap/seal sufficiently degraded to create a concern about releases? No

At what distance from the cap/seal is the nearest domestic structure located? None

At what distance from the cap/seal is the nearest domestic drinking water source? None

#### **Summary of emergency response factors**

None

#### **Summary hazard ranking system factors**

None

#### **Summary of reclamation factors**

Possible pit area immediately north of the site

### Part VI Photos



Photo 1. Mine site



Photo 2. Mine site



Photo 3. Mine site



Photo 4. Open area, possible pit, north of site boundary




Photo 5. Drainage from open area north of site

## Part VII Contacts Reports and Information

Name:	<u>Stanley Edison (928) 871-6861</u>			
	Eugene Esplain (928) 871-7331			
Title or of	fficial role (if any) Navajo EPA Superfund Program			
Address_	PO Box 2946, Window Rock, AZ 86515			
Information	on provided Lead Regulatory Agency			
Name				
Title or of	Efficial role (if any)			
Address_				
Telephone	e number			
Information	on provided			
Name				
Title or official role (if any)				
Telephone number				
Information provided				
Name				
Title or of	fficial role (if any)	_		
Telephone number				
Information	on provided			


Figure 1 - Gamma Radiation Measurements, Above Two Times Background H.B. Roy No. 1 (433) Red Valley Chapter, Navajo Nation, Arizona



# Gamma Radiation Measurements < 2X Backgound</li> > 2X Background Gamma survey conducted 10/2009 Measured as counts per minute (cpm) Average background = 11,462 cpm Inaccessible due to steep grades General Direction Down-Slope Mine Claim Boundaries Mine Claim Boundaries Average background = 11,462 cpm Inaccessible due to steep grades Mine Claim Boundaries Average background = 11,462 cpm Inaccessible due to steep grades Inaccessible




Figure 2 - Gamma Radiation Measurements H.B. Roy No. 1 (433) Red Valley Chapter, Navajo Nation, Arizona



#### Legend

#### **Gamma Radiation Measurements**

- 0 10,000
- 10,000 15,000
- 15,000 20,000
- **2**0,000 50,000
- 50,000 100,000
- > 100,000



- **→** General Direction Down-Slope
- Mine Claim Boundaries

Gamma survey conducted 10/2009 Measured as counts per minute (cpm)

Average background 11,462 cpm

